

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Egbert Classen
Application Number: 10/575,613
Filing Date: 04/11/2006
Group Art Unit: 1714
Examiner: Mikhail Kornakov
Title: METHOD AND APPARATUS FOR CONTROLLING THE
SUPPLY OF CLEANING FLUID IN A WASHING PROCESS

Mail Stop Appeal Brief - Patents

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

APPEAL BRIEF

Pursuant to 37 CFR 1.192, Appellant hereby files an appeal brief in the above-identified application. This Appeal Brief is accompanied by the requisite fee set forth in 37 CFR 1.17(f).

Table of Contents

(1) REAL PARTY IN INTEREST	3
(2) RELATED APPEALS AND INTERFERENCES	3
(3) STATUS OF CLAIMS.....	3
(4) STATUS OF AMENDMENTS.....	3
(5) SUMMARY OF CLAIMED SUBJECT MATTER.....	3
(6) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL.....	7
(7) ARGUMENT	8
(8) CONCLUSION	15
CLAIMS APPENDIX	16
EVIDENCE APPENDIX	21
RELATED PROCEEDINGS APPENDIX	22

(1) REAL PARTY IN INTEREST

The real party in interest is BSH Bosch und Siemens Hausgeräte GmbH.

(2) RELATED APPEALS AND INTERFERENCES

There are no appeals or interferences that will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) STATUS OF CLAIMS

Claims 11-25 are pending in the present application. Claims 1-10 were canceled. The final rejections of claims 11-25 are being appealed.

Claims 11, 15, and 23 are independent.

(4) STATUS OF AMENDMENTS

There are no outstanding Amendments.

(5) SUMMARY OF CLAIMED SUBJECT MATTER

An exemplary embodiment of the present invention, as recited by, for example, independent claim 11, is directed to an appliance operable to carry out at least one cleaning process using cleaning liquid (see, e.g., paragraph [001]), the appliance comprising:

an assembly for placing into contact with one another a cleaning liquid and at least one item to be cleaned (see, e.g., paragraph [008]); and

a system for supplying cleaning agent into the cleaning liquid, the system including a sensor that determines the content of washing-active substances in the cleaning liquid during the cleaning process and a dosing device that alternately supplies additional cleaning agent to the cleaning liquid during the at least one cleaning process in the event that the sensed content of washing-active substances is below a predetermined lower value and supplies fresh water to the cleaning liquid in the event that the content of washing-active substances is above a predetermined upper value (see, e.g., paragraphs [001], [008] - [011], [013], [018] - [020]).

In this manner, the present invention determines the content of washing-active substances in the cleaning liquid continuously during the cleaning process and, on this basis, regulates the addition of cleaning agents to the cleaning liquid independently of influences such as the degree of contamination, temperature and water hardness in order to achieve the optimal content of washing active substances in the cleaning liquid. Thus, both under-dosing with inadequate cleaning effect and also over-dosing with negative economical and ecological consequences can be avoided. In this way, the cleaning performance and the consumption of resources are optimised and the environmental influences are minimized. See, e.g., paragraphs [010], [012], [013], [019], [020].

Claim 12 depends from claim 11 and recites wherein the system for supplying cleaning agent to the cleaning liquid is regulated as a function of the content of washing-active substances in the cleaning liquid determined by the sensor by means of an electronic control. See, e.g., paragraphs [011], [018] - [020].

Claim 13 depends from claim 11 and recites wherein the sensor is a tenside sensor that determines a content of tensides in the cleaning liquid by means of a bubble pressure method. See, e.g., paragraphs [014], [015], [017], [018].

Claim 14 depends from claim 13 and recites wherein the tenside sensor in the appliance is surrounded by cleaning liquid as continuously as possible during the cleaning process. See, e.g., paragraph [020].

An exemplary embodiment of the present invention, as recited by, for example, independent claim 15, is directed to method for operating an appliance operable to carry out at least one cleaning process using cleaning liquid, the method comprising the steps of:

determining a content in a cleaning liquid of washing-active substances that are supplied therinto via a supply of cleaning agent into the cleaning liquid by a cleaning agent supply system (see, e.g., paragraphs [006], [008] - [011], [014], [017] - [020]);

supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be below a predetermined lower value (see, e.g., paragraphs [001], [008] - [015], [018], [020]); and

supplying fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value (see, e.g., paragraphs [008], [013], [018]).

Claim 16 depends from claim 15 and recites wherein the content of washing-active substances in the cleaning liquid is determined by a selected one of continuously determining the content of washing-active substances in the cleaning liquid during the at least one cleaning process (see, e.g., paragraphs [006], [008] - [011], [014], [017] - [020]) and determining the content of washing-active substances in the cleaning liquid at short time intervals during the at least one cleaning process (see, e.g., paragraph [020]).

Claim 17 depends from claim 15 and recites wherein determining the content of washing-active substances in the cleaning liquid includes determining the content of washing-active substances in the cleaning liquid via electronic means. See, e.g., paragraphs [011], [018] - [020].

Claim 18 depends from claim 15 and recites wherein determining the content of washing-active substances in the cleaning liquid includes determining the content of washing-active substances in the cleaning liquid via a sensor. See, e.g., paragraphs [001], [008] - [011], [013], [018] - [020].

Claim 19 depends from claim 18 and recites wherein at least part of the cleaning process is repeated depending on the content of washing-active substances in the cleaning liquid via the sensor. See, e.g., paragraph [021].

Claim 20 depends from claim 18 and recites wherein a selected one of omission of at least part of the cleaning process and interruption of at least part of the cleaning process is undertaken depending on the content of washing-active substances in the cleaning liquid determined by the sensor. See, e.g., paragraph [022].

Claim 21 depends from claim 11 and recites and further comprising a device for displaying values relating to the content of washing-active substances in the cleaning liquid determined by the sensor, whereby an operator can add cleaning agents during the cleaning operation on the basis of an indicated concentration. See, e.g., paragraph [018].

Claim 22 depends from claim 21 and recites wherein the device for displaying values relating to the content of washing-active substances in the cleaning liquid determined by the sensor includes a component for generating an acoustic signal. See, e.g., paragraph [018].

An exemplary embodiment of the present invention, as recited by, for example, independent claim 23, is directed to method for operating an appliance that carries out at least one cleaning process using a cleaning liquid, the method comprising:

- supplying a cleaning agent having washing-active substances into the cleaning liquid via a cleaning agent supply system (see, e.g., paragraphs [001], [008] - [015], [018], [020]);

- determining a content of the washing-active substances in the cleaning liquid using a sensor and comparing the content of the washing-active substances to a predetermined lower value and a predetermined upper value (see, e.g., paragraphs [006], [008] - [011], [014], [017] - [020]);

- supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process when the content of washing-active substances is below the predetermined lower value (see, e.g., paragraphs [001], [008] - [015], [018], [020]); and

supplying fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value (see, e.g., paragraphs [008], [013], [018]).

Claim 24 depends from claim 23 and recites wherein the determining the content of the washing-active substances in the cleaning liquid and the comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value includes continuously determining the content of the washing-active substances in the cleaning liquid during the at least one cleaning process (see, e.g., paragraphs [006], [008] - [011], [014], [017] - [020]) and comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value during the at least one cleaning process (see, e.g., paragraph [008]).

Claim 25 depends from claim 23 and recites wherein the determining the content of the washing-active substances in the cleaning liquid and the comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value includes determining the content of the washing-active substances in the cleaning liquid during the at least one cleaning process at short time intervals and comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value during the at least one cleaning process (see, e.g., paragraphs [006], [008] - [011], [014], [017] - [020]).

(6) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

- a. Whether claims 11-14 are anticipated under 35 U.S.C. § 102(b) by the Buttner et al. reference (GB 2052251 A).
- b. Whether claims 15-20 and 23-25 are unpatentable under 35 U.S.C. § 103(a) over the Buttner et al. reference.

- c. Whether claims 21 and 22 are unpatentable under 35 U.S.C. § 103(a) over the Buttner et al. reference in view of the Livingston et al. reference (U.S. Patent No. 4,509,543).

(7) ARGUMENT

- a. Claims 11-14 are NOT anticipated under 35 U.S.C. § 102(b) by the Buttner et al. reference (GB 2052251 A).

Claims 11-14 are rejected under 35 U.S.C. § 102(b) as being anticipated by the Buttner et al. reference (GB 2052251 A).

Appellant respectfully requests reversal of this rejection.

A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference. [...] The identical invention must be shown in as complete detail as is contained in the ... claim." M.P.E.P. § 2131.

The Buttner et al. reference does not explicitly disclose "**a dosing device that alternately supplies additional cleaning agent** to the cleaning liquid in the event that the sensed content of washing-active substances is below a predetermined lower value **and supplies fresh water to the cleaning liquid** during the at least one cleaning process in the event that the content of washing-active substances is above a predetermined upper value," as recited by independent claim 11.

As explained above, these features are important for avoiding **both under-dosing** with inadequate cleaning effect **and also over-dosing** with negative economical and ecological consequences. In this way, the cleaning performance and the consumption of resources are

optimised and the environmental influences are minimized. See, e.g., page 3, lines 25-30, and page 4, lines 1-5.

The Buttner et al. reference discloses controlling at least one of the volume of water supplied to the machine, the number of changes of such water and the metering of at least one additive. The Buttner et al. reference does not explicitly disclose “a dosing device that [...] supplies fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is above a predetermined upper value,” as recited by independent claim 11.

Instead, the Buttner et al. reference describes “metering” the at least one additive, not “metering” the supply of water. See, e.g., Abstract; page 1, line 94; page 2, lines 107 and 120-121. This appears to show a distinction between the manner in which the additive is controlled and the manner in which the volume of water is controlled. Similarly, when describing the water, the Buttner et al. reference generally refers to controlling how many rinsing operations are needed. See, e.g., Abstract; page 1, lines 126-127; page 2, lines 90-92. Hence, the Buttner et al. reference appears to be referencing individual rinsing cycles when describing controlling at least one of the volume of water supplied to the machine and the number of changes of such water.

As explained above, the Buttner et al. reference does not explicitly disclose “a dosing device that alternately supplies additional cleaning agent to the cleaning liquid in the event that the sensed content of washing-active substances is below a predetermined lower value and supplies fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is above a predetermined upper value,” as recited by independent claim 11.

For at least the foregoing reasons, the Buttner et al. reference does not disclose all of the features of independent claim 11.

Claims 12-14 are patentable over the Buttner et al. reference by virtue of their dependency from claim 11, as well as for the additional features recited therein.

Appellant respectfully requests withdrawal of this rejection.

- b. Claims 15-20 and 23-25 are NOT unpatentable under 35 U.S.C. § 103(a) over the Buttner et al. reference.

Claims 15-20 and 23-25 are rejected under 35 U.S.C. § 103(a) as being unpatentable over the Buttner et al. reference.

Appellant respectfully traverses this rejection.

Regarding independent claims 15 and 23, the final Office Action dated March 9, 2010 (e.g., at page 4, numbered paragraph 12, page 6, numbered paragraph 19) acknowledges that the Buttner et al. reference teaches that the controller uses the measured content of washing-active substances in the liquid to control the volume of water supplied to the washing machine and the number of changes of the water (Page 1, lines 82-100; page 2, lines 21-35, 96-107). The Office Action alleges that “[i]t is reasonably expected that this water is fresh water.” The Office Action acknowledges that the Buttner et al. reference “does not expressly disclose that this water is supplied in the event that the content of washing-active substances is determined to be above a predetermined upper value.” However, the Office Action alleges that “it would have been obvious to one of ordinary skill to supply additional water to the cleaning liquid to correct a potential overdosing of cleaning agent with a reasonable expectation of success (MPEP 2143 E).”

Contrary to the assertions in the Office Action, Appellant respectfully submits that the Buttner et al. reference clearly does not disclose all of the method steps defined by independent claims 15 and 23.

For example, the Buttner et al. reference does not teach or suggest “supplying fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value,” as recited in claim 15.

Moreover, the Buttner et al. reference does not teach or suggest “supplying fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value,” as recited in claim 23.

The Buttner et al. reference is silent with respect to adding water during the cleaning process. Instead, the Buttner et al. reference simply describes “metering” the at least one additive, not “metering” the supply of water. See, e.g., Abstract; page 1, line 94; page 2, lines 107 and 120-121. When describing the water, the Buttner et al. reference generally refers to controlling how many rinsing operations are needed. See, e.g., Abstract; page 1, lines 126-127; page 2, lines 90-92. Hence, the Buttner et al. reference appears to be referencing individual rinsing cycles when describing controlling at least one of the volume of water supplied to the machine and the number of changes of such water, not to the cleaning process as claimed.

Furthermore, contrary to the assertions in the final Office Action, Appellant respectfully submits that one of ordinary skill in the art will not have an apparent reason to supply additional water to the cleaning liquid during the at least one cleaning process to correct a potential overdosing of cleaning agent with any reasonable expectation of success.

First, as explained above, the Buttner et al. reference discloses controlling at least one of the volume of water supplied to the machine, the number of changes of such water and the metering of at least one additive. The Buttner et al. reference does not explicitly disclose that water is added during the cleaning process. Thus, the Buttner et al. reference fails to provide any teaching or suggestion to one of ordinary skill in the art to add water during the cleaning process.

Second, the Buttner et al. reference describes “metering” the at least one additive, but does not mention “metering” the supply of water. This appears to show a distinction between the manner in which the additive is controlled and the manner in which the volume of water is controlled. Similarly, when describing the water, the Buttner et al. reference generally refers to controlling how many rinsing operations are needed. Hence, the Buttner et al. reference

appears to be referencing individual rinsing cycles when describing controlling at least one of the volume of water supplied to the machine and the number of changes of such water, *not* “supplying fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value,” as recited in claim 15, or “supplying fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value,” as recited in claim 23.

The Response to Arguments of the final Office Action (at page 10, numbered paragraph 31) asserts that the control system “is fully capable of supplying fresh water to the cleaning liquid during the washing cycle,” and therefore, that it allegedly “would have been obvious to one of ordinary skill in the art to modify Buttner to include supplying fresh water to the cleaning liquid during the washing cycle in the event that the content of washing-active substances is above the optimum value.”

Contrary to these assertions, the Buttner et al. reference does not provide any teaching that suggests that the disclosed control system supplies, or is capable of supplying, fresh water to the cleaning liquid during the washing cycle.

Moreover, Appellant respectfully submits that one of ordinary skill in the art will not have an apparent reason to supply fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value, as recited in claim 15, or supply fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value, as recited in claim 23. Furthermore, the Buttner et al. reference teaches away from the claimed invention.

The Buttner et al. reference discloses that the pH-value drops during the course of the washing program. The Buttner et al. reference is concerned with ensuring that the pH-value is brought up to (i.e., increased or maintained at) a desired level. See, e.g., page 2, lines 21-39. Hence, one of ordinary skill in the art would not have an apparent reason to modify the Butler

et al reference in the manner alleged, or a reasonable expectation of success in modifying the Buttner et al. reference, to supply additional water to the cleaning liquid, as alleged. Appellant respectfully submits that it would not have been obvious to add additional water, which would further reduce the pH-value, when the Buttner et al. reference is concerned with ensuring that the pH-value is brought up to (i.e., increased or maintained at) a desired level. Indeed, the teachings of the Buttner et al. reference teach away from reducing the pH-value, which is the predictable result of supplying additional water to the cleaning liquid.

M.P.E.P. § 2145(X)(D)(2) states that it is improper to combine references where the references teach away from their combination. In re Grasselli, 713 F.2d 731, 743, 218 USPQ 769, 779 (Fed. Cir. 1983).

Thus, one of ordinary skill in the art would not have an apparent reason to modify the Butler et al reference add the rinsing step during the washing process since this would cause the pH-value to be lower, thereby requiring the addition of larger amounts of additive to raise the washing agent concentration to the desired level (pH-value).

The final Office Action also asserts that the selection of any order of performing process steps is prima facie obvious in the absence of new or unexpected results. Contrary to the assertions in the Office Action, Appellant respectfully submits that the claimed invention does not involve a mere selection of the order of performing process steps. Instead, claim 15 clearly recites “supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be below a predetermined lower value; and supplying fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value.” Claim 23 recites “supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process when the content of washing-active substances is below the predetermined lower value; and supplying fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value.”

Appellant respectfully submits that, clearly, if the order of the rinsing step was selected such that the rinsing step was performed during the washing process, the principal of the operation of the cleaning process would be detrimentally affected by such a simultaneous rinsing step. Indeed, the rinsing step would cause the pH-value to be lower, thereby requiring the addition of larger amounts of additive to raise the washing agent concentration to the desired level (pH-value). Thus, the final Office Action errs in the assertion that the selection of any order of performing process steps is prima facie obvious in the absence of new or unexpected results. Moreover, the claimed invention clearly provides new results over the teaching of the Buttner et al. reference.

For at least the foregoing reasons, independent claims 15 and 23 are patentable over the Buttner et al. reference.

Claims 16-20 and 24-25 are patentable over the Buttner et al. reference by virtue of their dependencies from claims 15 and 23, respectively, as well as for the additional features recited therein.

Appellant respectfully requests withdrawal of this rejection.

- c. Claims 21 and 22 are NOT unpatentable under 35 U.S.C. § 103(a) over the Buttner et al. reference in view of the Livingston et al. reference (U.S. Patent No. 4,509,543).

Claims 21 and 22 are rejected under 35 U.S.C. § 103(a) as being unpatentable over the Buttner et al. reference in view of the Livingston et al. reference (U.S. Patent No. 4,509,543).

Appellant respectfully traverses this rejection.

The Livingston et al. reference does not make up for the deficiencies of the Buttner et al. reference with respect to claim 11, from which claims 21 and 22 depend.

The Livingston et al. reference clearly does not disclose “a dosing device that alternately supplies additional cleaning agent” to the cleaning liquid in the event that the sensed

content of washing-active substances is below a predetermined lower value and supplies fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is above a predetermined upper value,” as recited by independent claim 11.

The Office Action does not rely on the Livingston et al. reference for these features of claim 11.

Thus, none of the applied references discloses or suggests the subject matter defined by independent claim 11. Claims 21 and 22 are patentable over the Buttner et al. reference and the Livingston et al. reference by virtue of their dependency from claim 11, as well as for the additional features recited therein.

Appellant respectfully requests reversal of this rejection.

(8) CONCLUSION

In view of the foregoing discussion, Appellant respectfully requests reversal of the Examiner’s rejections.

Respectfully submitted,

/Andre Pallapies/

Andre Pallapies

Registration No. 62,246

July 18, 2011

BSH Home Appliances Corporation
100 Bosch Boulevard
New Bern, NC 28562
Phone: 252-672-7927
Fax: 714-845-2807
andre.pallapies@bshg.com

CLAIMS APPENDIX

1 - 10 (Canceled)

11. (Rejected) An appliance operable to carry out at least one cleaning process using cleaning liquid, the appliance comprising:
an assembly for placing into contact with one another a cleaning liquid and at least one item to be cleaned; and
a system for supplying cleaning agent into the cleaning liquid, the system including a sensor that determines the content of washing-active substances in the cleaning liquid during the cleaning process and a dosing device that alternately supplies additional cleaning agent to the cleaning liquid during the at least one cleaning process in the event that the sensed content of washing-active substances is below a predetermined lower value and supplies fresh water to the cleaning liquid in the event that the content of washing-active substances is above a predetermined upper value.
12. (Rejected) The appliance according to claim 11, wherein the system for supplying cleaning agent to the cleaning liquid is regulated as a function of the content of washing-active substances in the cleaning liquid determined by the sensor by means of an electronic control.
13. (Rejected) The appliance according to claim 11, wherein the sensor is a tenside sensor that determines a content of tensides in the cleaning liquid by means of a bubble pressure method.

14. (Rejected) The appliance according to claim 13, wherein the tenside sensor in the appliance is surrounded by cleaning liquid as continuously as possible during the cleaning process.
15. (Rejected) A method for operating an appliance operable to carry out at least one cleaning process using cleaning liquid, the method comprising the steps of:
determining a content in a cleaning liquid of washing-active substances that are supplied thereto via a supply of cleaning agent into the cleaning liquid by a cleaning agent supply system;
supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be below a predetermined lower value; and
supplying fresh water to the cleaning liquid during the at least one cleaning process in the event that the content of washing-active substances is determined to be above a predetermined upper value.
16. (Rejected) The method for operating an appliance according to claim 15, wherein the content of washing-active substances in the cleaning liquid is determined by a selected one of continuously determining the content of washing-active substances in the cleaning liquid during the at least one cleaning process and determining the content of washing-active substances in the cleaning liquid at short time intervals during the at least one cleaning process.
17. (Rejected) The method for operating an appliance according to claim 15, wherein determining the content of washing-active substances in the cleaning liquid includes determining the content of washing-active substances in the cleaning liquid via electronic means.

18. (Rejected) A method for operating an appliance according to claim 15, wherein determining the content of washing-active substances in the cleaning liquid includes determining the content of washing-active substances in the cleaning liquid via a sensor.
19. (Rejected) The method for operating an appliance according to claim 18, wherein at least part of the cleaning process is repeated depending on the content of washing-active substances in the cleaning liquid via the sensor.
20. (Rejected) The method for operating an appliance according to claim 18, wherein a selected one of omission of at least part of the cleaning process and interruption of at least part of the cleaning process is undertaken depending on the content of washing-active substances in the cleaning liquid determined by the sensor.
21. (Rejected) The appliance according to claim 11 and further comprising a device for displaying values relating to the content of washing-active substances in the cleaning liquid determined by the sensor, whereby an operator can add cleaning agents during the cleaning operation on the basis of an indicated concentration.
22. (Rejected) The appliance according to claim 21, wherein the device for displaying values relating to the content of washing-active substances in the cleaning liquid determined by the sensor includes a component for generating an acoustic signal.

23. (Rejected) A method for operating an appliance that carries out at least one cleaning process using a cleaning liquid, the method comprising:
supplying a cleaning agent having washing-active substances into the cleaning liquid via a cleaning agent supply system;
determining a content of the washing-active substances in the cleaning liquid using a sensor and comparing the content of the washing-active substances to a predetermined lower value and a predetermined upper value;
supplying additional cleaning agent to the cleaning liquid during the at least one cleaning process when the content of washing-active substances is below the predetermined lower value; and
supplying fresh water to the cleaning liquid during the at least one cleaning process when the content of washing-active substances above the predetermined upper value.
24. (Rejected) The method of claim 23, wherein the determining the content of the washing-active substances in the cleaning liquid and the comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value includes continuously determining the content of the washing-active substances in the cleaning liquid during the at least one cleaning process and comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value during the at least one cleaning process.
25. (Rejected) The method of claim 23, wherein the determining the content of the washing-active substances in the cleaning liquid and the comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value includes determining the content of the washing-active substances in the cleaning liquid during the at least one cleaning process at short time intervals and

comparing the content of the washing-active substances to the predetermined lower value and the predetermined upper value during the at least one cleaning process.

EVIDENCE APPENDIX

None

RELATED APPEALS APPENDIX

None